
APPROVED: Line Hackworth

DIRECTOR OF PUBLIC WORKS

COUNTY OF PLACER
DEPARTMENT OF PUBLIC WORKS

RURAL SECONDARY

DATE: JULY, 2005 | NTS | PLATE | R-4 (3)



ALLOWABLE USE

- A. MORE THAN 75 UNITS SERVED.
- B. NO PARKING STREET TO BE SIGNED AS DIRECTED BY ENGINEER.
- C. ACCESS CONTROL.
- D. RESIDENTIAL LOTS 40,000 SQUARE FEET AND GREATER.

NOTES:

- 1. A SEPARATED, MULTIPURPOSE TRAIL OR PATHWAY MAY BE REQUIRED IN ADDITION TO THE IMPROVEMENTS SHOWN ABOVE.
- 2. ADDITIONAL EASEMENTS MAY BE REQUIRED AS NECESSARY TO PROVIDE FOR DRAINAGE, CUT/FILL SLOPES, UTILITIES, ETC.
- 3. S=10% MINIMUM SLOPE. FOR ROADS WITH LONGITUDINAL CENTERLINE SLOPES GREATER THAN 8%, USE 18% MINIMUM SLOPE, 22% MAXIMUM SLOPE.
- 4. ACTUAL STRUCTURAL SECTION MAY BE GREATER THAN INDICATED BASED ON PROJECT APPROVALS.
- 5. 4:1 SLOPE MAY BE REQUIRED BASED ON THE DESIGN SPEED AND SLOPE HEIGHT.
- 6. BELOW 3000 FT. ELEVATION, A.C. MIX SHALL BE AR8000, 3/4 IN. AGGREGATE (1/2 IN. AGGREGATE IF A.C. THICKNESS IS <0.2 FT.). ABOVE 3000 FT. ELEVATION, A.C. MIX SHALL BE PBA6B, 1/2 IN. AGGREGATE.